G. R. S. IX-5]

Previous references.

1917.

(Uncertain)

File No. 336-12

Serial Nos. 1-4

Later references.

1357-13

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 1--4

Part B for ~~Sept~~ June 1917

SUBJECT.

Repairs to the Sri Chennai Kesava temple at Belur (Source of the Cost)

Vide orders on M 7-67613

H. V. Lakshmanan

W D 88—GPB—50,000—24-7-16

1912

GENERAL AND REVENUE SECRETARIAT.

(Muzrai)

NOTES.

File No 336-7

FILE HEADING

Repairs to the Sri Chennakesavaswamy temple at Belur (Source of the cost)

From

The Chief Engineer in Mysore

No 9961 Dated 9-12-12 Received 12-12-12

Diary No. 986 Enclos. nil Spare Copies nil Serial No.

BRIEF ABSTRACT OF LETTER

Enquires whether any orders have since been passed as ~~the~~ to whether the cost (Rs 6213/-) of the repairs should be debited to the funds of the temple

NOTES AND ORDERS.

flag P

In accordance with the note of the 1st councillor on page 24 of the office notes × in the file (M.F. 134-09) put up herewith, the Chief Engineer was informed that the sum of Rs 6,213/- required for Completing the

NOTES—First Sheet

CPS—40 000 27-6-11

Serial No.

repairs should be included in the P. W. Budget and that separate orders will issue as to whether this expenditure should be debited to the funds of the Temple

The Ch. Engineer now requests to be informed whether orders have been passed in the matter

May the Dy Comr be requested to report whether it is possible to meet the charge from the Savings of the Temple ?

Subd for orders ~~Rejected~~

Cash(139) 23-12-12 ~~Rejected~~ From letter of the Ch. Engr's No. 277 & 134-09-12, re the source of meeting the cost of the repairs of the temple, we have said that the "Govt have decided that the "cost of the repairs in question should be "included in the P. W. D. Budget".

In view of the fact that the Ch: Engr has admitted in his letter No. 3130 & 6.4.10 (Sr No. 7 in file No. 134 of 09) that "the building is one "of Archeological interest & that the cost "of its repairs is a proper charge against the "State P. W. Budget",

f Cash P

NOTE—Contn. sheet.

Serial No.

So this amt has to come from the P.W.D budget.

Subl for orders.

RL 26/12

24.12.12

Please see page No. 7 the note in file no 134. An understanding was given that in future the amount will be repaid in the course of few years. The financial situation of the temple will have to be worked up Continue note in the above line

Sd

15.5.13

f cy P

restore 28-6-13

From the Secs' file (M.7.125-12 put up herewith, it is seen that there has been ~~great~~ considerable difficulty in providing a sum of Rs 40/- annum from the funds of this temple towards the cost of the clerk ~~sanctio~~ proposed to be entertained for doing Muzrai work in the Hassan district office. To provide funds for that purpose, the Dy comr had recommend the curtailment of the Nityakatle & Hetchugatle expenses in the temple and he has been asked to

NOTE—Contn. sheet.

GIL—65,000—17-6-12.

General and Revenue Secretariat.

Cmr File No. 336 of 1912

Serial No.	
2	To The D.C. Hassan No 2368 of 10.6.1913 Calls for Certain information re the Source of meeting the Cost of repairs in question. From the D.C. Hassan No 16 of 17-7-13 Reports that it is extremely difficult to repay the balance of the cost of repairs to the P.W.D from the annual savings of the temple The Amildar in his report states that the annual savings ~~very very~~ are very inconstant, any considerable surplus ~~beng~~ in a year being chiefly due to the unexpected income from the 'Rs 20/25 & Rs' in that year. The income from this source is necessarily of a fluctuating nature. In Connection with providing ~~from~~ a sum of Rs 40/- from this instibn for the hand newly Sanctioned for the Hassan District Office, it has been reported that no savings could be effected in the
6/1/13	

NOTE—Contn. sheet.

GPB—6,000—17-6-12.

Serial No.

temple expenditure and the sum of Rs 140/- had ~~been~~ to be simply ordered to be met from the annual savings of the temple. It may not be therefore possible to pay up the balance (Rs 6,213) of the cost of the repairs to the P.W.D from the annual savings of the temple, especially as the income from the inam lands is stated to have become reduced owing to the disrepaired condition of the tanks therein

The temple has however a surplus of Rs 8,429-1-3. The Dy Comr has not ~~however~~ reported on the feasibility of paying up the balance of the cost of repairs from this amount. It may perhaps be required for repairs to the tanks in the inam lands of the temple & for other purposes

Subd for orders.

GO(139) 4-8-13 In view of the fact that there are large demands on its present funds, that the temple is one of archæological interest,

NOTE—Contn. sheet.

GPB—6,000—17-6-12

Serial No

* Vide his letter No. 3130 dt 6.4.10 Sl. 7 of file 134-09

heart on this ground, the Ch: Engr himself Expressed his opinion in April 1910* that "the cost of the renovation of the "temple) is a proper charge against the "State P.W. budget", & that the income from its Inam lands has been very much reduced recently; the balance of the Repairs charges viz Rs 6213 has to come from State funds, or P.W. grant for this year.

Orders solicited

24.8.12

Subd & 1st Councillor

A entirely new cost has already been taken from the State ground and the question now for decision is whether the temple should be made to bear the balance of cost. The temple has some investments which can be nearly wiped out if it is decided that the charge should be met from the temple funds. Here seems the urgent need for funds to improve the temple lands to prevent deterioration of temple lands and Revenue. As was remarked after

NOTE—Contn sheet.

GPB—6[illegible] 000—'7-6-12.

R. S. 12]

General and Revenue Secretariat.

File No. 336 of 1912 9

Serial No.

Committee and accepted by the Chief Engineer, the cost of Renovation appears to be a legitimate charge on the State funds in view of the high archeological and architectural value of the building

Sd.
25.8.13

Has the work been finished or have any further progress after the order of August 1912. If not why?.

~~As the cost being met~~

As about half the cost has been met from the Nizam grant the rest may be charged to the state

26/8/13.

Sd
27/8

Draft letter to the Chief Engr

Sd.
27/8/13

Subd. with a draft letter as directed above.

GR (139) 29-8-13 Sd

Approved
Sd

NOTE—Contn sheet.

GPB—65,000—7-6-12.

General and Revenue Secretariat.

Serial No.

To The Chief Engineer at Mysore.

No 834 & 10.9.13 Enquiries how far the work has progressed and also if the other half of the cost cannot be met from the P. W. Grant and requests an early reply.

Remd not. have not replying

Subj

a reminder was sent on 6-5-15 and a further one will be sent shortly.

SJ 9/8

Remind the Chief Engr and request an early reply

SG 12.7.15

Rem. sent. 6 Not?

SG 9/8/15

Rem sent 18/8/15

[Vide also mem. dt. ~~5-5-14~~ 676-13 for a note on the reply to this letter].

RG 14.9.15

NOTE—Contn sheet.

GPB—6,000—'7-6-12.

No. 9961

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

Bangalore, 9th.....December.....1912.

DIARY No. 986

From

xMxXXISVESVARAYAxxBsqxxmxkxxx.,

The Offg. *Chief Engineer of Mysore,*

10/12/13
SECTION Muz
Bangalore.
FILE No. 336-12
SERIAL No. 1

To

K.R.Srinivasiengar, Esq.,M.A.,

Offg.Secretary to the Government of

His Highness the Maharaja of Mysore,

General & Revenue Departments.

Sir,

Adverting to your letter No.277/Muz.F.134-09-12 dated the 14th August 1912, stating that separate orders will issue as to - whether the expenditure incurred in repairing the Sri Chennakeswara-swami temple at Belur should be debited to the funds of the temple, I have the honour to request to be informed if any orders have since been passed on the subject.

I have the honour to be,

Sir,

Your most obedient servant,

Deputy Chief Engineer of Mysore.

B.V.

MYSORE P. W. DEPARTMEN

No. 9961.

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore,

To The Secretary to the Governm
of Mysore,
General & Revenue Departmen

Dated Bangalore, 9th December 1912

Despatched 10th December 1912

Enclosure No. nil.

SUBJECT.

Re. the expenditure incurred in repairing the Sri Chennakeswaraswa temple at Belur.

GPB—1500—4-3-12

Calls for certain information re the source of meeting the cost of repairs to the Sri Chennakesavaswa Temple at Belur.

R. S. 26]

File No. 336

Serial No. 2

Diary No. of letter replied to 986

No. 2368)

General and Revenue Secretariat

( )

, *the* 191 .

To

The Dy. Comr., Hassan Dt.

Date of issue 10. 6. 913

Signed by W.G. Arakeswaraiyar

Sir,

I am directed to invite your reference to G.O No. 2035-7/M.7.134-09-6 of 12th Febry 1910 sanctioning estimates amounting to Rs 12, 213/- for repairs to the Sri Chennakesavaswami Temple at Belur, the cost being debited to the Muzrai State grants of 1909-10 & 1910-11

over.

SUBJECT.

and also placing at the disposal of the Chief Engnr a sum of Rs 6000/- from the State grant of 1909-10.

The Chief Engineer has been pressing for the balance of Rs 6,213/- being also placed at his disposal. It has not been found possible to provide the sum from the State grants of this or previous years. The Chief Engineer has been requested to include the amount in the P W Budget & carry on the work. The source of meeting the cost has however yet to be pointed out.

I am therefore to request you to be so good as to report at a very early date whether

List of enclosures.

Copied by

Examined by

GPB—25,000—8 8 11.

.R.S. 27]

GENERAL AND REVENUE SECRETARIAT.

(*Continuation Sheet draft form.*)

money can not be saved from the annual income of the temple and the amount repaid to the P.W.D in the course of a few years.

The amount now at the credit of the institution may also be intimated.

I have &c

Sd
6-6-13
for Secretary

DBA
Appl (139)
5-6-13.

Sd
6/6/13

GPB—10,000—22 2 11

142

DIARY No. 159

19/3 19/4

SECTION Mur2

FILE No. 336-12

SERIAL No. 3.

From ~~191~~

To

Dated Mugalbrandi

Despatched 14 [illegible]

Received [illegible]

General No. 16

No. 8.

Enclosure No. Two.

Reporting that it is extremely difficult to repay the balance of the cost of repairs to the P.W.D. from the Annual income of the Sri Thenmakesava Swamy temple at Belur.

GPB—5,76,000—6-12

[illegible]

[illegible]

[illegible]

From,

[illegible]

[illegible]

[illegible]

To,

[illegible]

[illegible]

[illegible]

[illegible]
Muzrai Branch
[illegible]

Sir,

With reference to your letter No.2308/Muz.F.336-12-2, dated 10th.June 1913 in the matter of pointing out the source for meeting the balance of the cost of repairs to the temple of Sri Chennakeshava Swamy at Belur and requesting me to report whether money cannot be saved from the annual income of the temple so that the balance of Rs.6213/- may be repaid to the Public Works Department in the course of a few years, I have the honof to submit herewith copy of report No.135 dated 27th.June 1913, of the Amildar of Belur Taluk received from the Assistant Commissioner, Sakleshpur Sub Division, together with a copy of statement showing the annual income and expenditure of the Institution.

2. A reference to the statement will show that ~~that~~ the amount whi can be saved annually out of the income after meeting the expen- - diture in the temple, is too small to admit of any payment being made to the Public Works Department.

3. The Amildar has reported that on the 1st.of June 1913 the actual amount available at the credit of the Institution was Rs.8429-1-3.

I have the honor to be,

Sir,

Your most obedient servant.

Deputy Commissioner,
Hassan District.

H.A.K.

Submitted

The income of Sree Chennakesava Swamy temple is limited - and it often Varies - Sometimes leaving a ~~balance~~ Small Surplus of a Couple of hundred and Sometimes nil. It will be a very hard matter to Contribute from the temple income towards liquidating the balance of Rs 6213/-. The income of this temple Consists mostly of paddy from Inam Lands belonging to this temple. This paddy does not leave any material Surplus after being used for ordinary and extraordinary occasions - [illegible] Some lands are sometimes Wo[illegible] and yields nothing - We Cannot Count upon this. Similarly the Cash income. This often varies Considerably. On the Whole I beg to Submit that this temple is not in a fit State financially to meet with this demand.

The actual amount available at the Credit of this Institution on the 1st June 1913 was Rs 8429-1-3.

The [illegible] of the temple is herewith Submitted for favor of reference. It will Speak for itself. If very fortunately in Some years the [illegible] brings a large income unexpectedly, then any appreciable Surplus of one or two hundred

Rupees

fees may be kept as
submitted above But this is
an uncertain factor and cannot be
counted upon.

27.6.13

Signed In Kesaways
Of Anildar

"Copy"

D.H.W. Wetherall

Deputy Commissioner
Kassaua District

G.G.

the balance of the cost
Relating to the Belur temple be
charged to the State P W grant

G. R. S. 26]

File No. 336-

Serial No. 4

Diary No. of letter replied to 986-12
& 159-13.

No. 8314

General and Revenue Secretariat
( )
, the 191

To

The Chief Engineer
in Mysore

Date of issue 10-9-1913

Signed by Mr. C Venkata Rao

Sir,

With reference to correspondence ending with your letter no 9961 & 9th Decr 1912 regarding the source of meeting the cost of repairing the Sri Chenna-kesavaswami temple at Belur, I am directed to enquire whether the work has been finished

over

SUBJECT

~~And if not, what further~~
~~progress has been~~
made since the issue
~~the date (11.8.12)~~
of this office letter No 277/M-7
8/14.8.12
134-09-12: ~~and, if~~ if no
progress has been made since
then, I am to request that
~~to state~~ the reason for
the ~~same~~ above same may kindly be stated.

As regards the source
from which the cost of the
repairs has to be met,
I am to state that the
temple is not in a position
to contribute any amount
towards the ~~cost~~ same ~~as above~~ ~~& to request you to kindly~~
~~let this office whether, as~~
about half the ~~cost~~ total
~~cost of the repairs~~ has been already
met from the Muzrai
Building grant of 1909-1910, ~~it is requested that~~ the
balance may not be charged
to the State P. W. grant.

Now that nearly half the cost has been already met, I am to enquire whether

An early reply is requested.

I have &c
Lee
1.9.13
for Secretary

List of enclosures.

Copied by

Examined by

GPB—25,000—6 8 11

Dft
R(139)
29-8-13

30/8/13